

SECTION V:

References

1. Gallagher P and O'Mahoney D. 'Constipation in old age', *Best Practice & Research Clinical Gastroenterology*, 2009, vol. 23, pp. 875-87.
2. Longstreth G, Thompson WG, Chey WD et al. 'Functional Bowel Disorders', *Gastroenterology*, 2006, vol. 130, pp. 1480-1491.
3. Stevens T, Soffer E and Palma R, 'Fecal incontinence in elderly patients: Common, treatable, yet often undiagnosed', *Cleveland Clinic J Med*, 2003, vol. 70, no. 5, pp. 441-8.
4. Belsey J, Greenfield S, Candy D et al. 'Systematic review: impact of constipation on quality of life in adults and children', *Aliment Pharmacol Ther*, 2010, vol. 31, pp. 938-49.
5. Clinical Knowledge Summaries, *Constipation*, retrieved 13 August 2013, <http://www.cks.nhs.uk/constipation>.
6. Peppas G, Alexiou V, Mourtzoukou E, et al. 'Epidemiology of constipation in Europe and Oceania: a systematic review', *BMC Gastroenterology*, 2008, vol. 8, no. 5, pp. 1-7.
7. American Gastroenterological Association, 'Technical Review on Constipation', *Gastroenterology*, 2013, vol. 114, pp. 218-238.
8. Castledine G, Grainger M, Wood N et al. 'Researching the management of constipation in long-term care: Part 1', *Brit J Nurs*, 2007, vol. 16, no. 18, pp. 1128-31.
9. Wilson L, 'Understanding bowel problems in older people: part 1', *Nursing Older People*, 2005, vol. 18, no. 8, pp. 24-29.
10. Talley N, 'Definitions, epidemiology, and impact of chronic constipation' *Rev Gastroenterol Disord*, 2004, 4 Suppl 2:S3-S10.
11. Potter J and Wagg A, 'Management of bowel problems in older people: an update', *Clin Med*, 2005, vol. 5, no. 3, pp. 289-95.
12. Bosshard W, Dreher R, Schnegg J et al. 'The treatment of chronic constipation in elderly people. An update', *Drugs Aging*, 2004, vol. 21, no. 14, pp. 911-30.
13. Eberhardie C. 'Constipation: Identifying the problem', *Nursing Older People*, 2003, vol. 15, no. 9, pp. 22-26.
14. McCormick S, Stafford K, Saqib G, et al. The efficacy of pre-thickened fluids on total fluid and nutrient consumption among extended care residents requiring thickened fluids due to risk of aspiration, *Age and Ageing* 2008, vol. 37, no. 6, pp. 714-715.
15. Sneddon J and Best C, Introduction of mealtime volunteers in a district general hospital, *Art and Science*, 2011, vol. 26, pp. 37-40.
16. Cardin F, Minicuci N, Droghi A et al. 'Constipation in the acutely hospitalized older patients', *Arch Geront Geriatr*, 2010, vol. 50, pp. 277-81.
17. Marfil C, Davies G and Dettmar P, 'Laxative use and its relationship with straining in a London elderly population: free-living versus institutionalised', *J Nutr Health Aging*, 2005, vol. 9, no. 3, pp. 185-187.
18. Kyle G, 'The older person: management constipation', *Brit J Community Nursing*, 2010, vol. 15, no. 2, pp. 58-64.
19. Maria G, Cassetta E, Gui D et al. 'A comparison of botulinum toxin and saline for the treatment of chronic anal fissure', *NEJM*, 1998, vol. 338, no. 4, pp. 217-220.
20. Potter J, 'Bowel care in older people', *Clin Med*, 2003, vol. 3, no. 1, pp. 48-51.
21. Leonard R, Tinetti M, Allore H, et al. 'Potentially modifiable resident characteristics that are associated with physical or verbal aggression

- among nursing home residents with dementia', *Arch Intern Med*, 2006, vol. 166, no. 12, pp. 1295-1300.
22. Alzheimer Scotland, *Information Sheet IS41*, retrieved 13 August 2013, <http://www.alzscot.org/pages/info/constipation-faecal-impaction.htm>.
 23. Norton C, 'Constipation in older patients', *Brit J Nurs*, 2006, vol. 15, no. 4, pp. 188-92.
 24. Cusack S, Day M, Wills T et al. 'Older people and laxative use: comparison between community and long-term care settings', *Brit J Nurs*, 2012, vol. 21, no. 17, pp. 711-17.
 25. Woodward S, 'Assessment and management of constipation in older people', *Nursing Older People*, 2012, vol. 24, no. 5, pp. 21-26.
 26. Addison R, Davies C, Haslam D et al. 'A national audit of chronic constipation in the community', *Nursing Times*, 2003, vol. 99, no. 11, pp. 34-35.
 27. Dr Foster Health, Hospital Episode Statistics (HES), 2011.
 28. NICE, *Constipation in children and young people*, 2010, retrieved 13 August 2013, www.nice.org.uk/nicemedia/live/12993/48741/48741.pdf.
 29. Barcelo M, Garcia-Sanchez R, Diaz-Rubio M, et al. 'Prevalence of fecal impaction among residents in nursing homes in Spain and associated factors', *Gastroenterology*, 2012, vol. 142, no. 5, pp. 445-46.
 30. Spinzi G, 'Bowel care in the elderly', *Dig Dis*, 2007, vol. 25, pp. 160-65.
 31. Madan P, Bhayana S, Chandra P, et al. 'Lower gastrointestinal bleeding: association with Sevelamer use', *World J Gastroenterol*, 2008, vol. 14, pp. 2615-16.
 32. Tariq S, 'Constipation in long-term care', *J Am Med Dir Assoc*, 2007, vol. 8, pp. 209-18.
 33. Chassagne P, Landrin I, Neveu C, et al. 'Fecal incontinence in the institutionalized elderly: incidence, risk factors, and prognosis', *Am J Med*, 2004, vol. 206, no. 2, pp. 185-90.
 34. Walter S, Hallböök O, Gotthard R, et al. 'A Population-based Study on Bowel Habits in a Swedish Community: Prevalence of Faecal Incontinence and Constipation', *Scand J Gastroenterol*, 2002, vol. 37, pp. 911-16.
 35. Government of Western Australia Department of Health, *From Death We Learn*, 2009.
 36. Gallegos-Orozco J, Foxx-Orenstein A, Sterler S, et al. 'Chronic constipation in the elderly', *Am J Gastroenterol*, 2012, vol. 107, no. 1, pp. 18-25.
 37. Speed C, Heaven B, Adamson A, et al. 'LIFELAX – diet and LIFEstyle versus LAXatives in the management of chronic constipation in older people: randomised controlled trial', *Health Technology Assessment*, 2010, vol. 14, no. 52.
 38. Johanson J, 'Review of the Treatment Options for Chronic Constipation', *MedGenMed*, 2007, vol. 9, no. 2, p. 25.
 39. National Institutes of Health National Library of Medicine Medline Plus, *Constipation*, retrieved 13 August 2013, <http://www.nlm.nih.gov/medlineplus/ency/article/003142.htm>.
 40. Gandell D, Straus S, Bundookwala M et al. 'Treatment of constipation in older people', *CMAJ*, 2013, DOI:10.1503.
 41. Winge K, Rasmussen D and Werdelin L, 'Constipation in neurological diseases', *J Neurol Neurosurg Psychiatry*, 2003, vol. 74, pp. 13-19.
 42. Alzheimer's Society, *Low expectations Attitudes on choice, care and community for people with dementia in care homes*, 2013, retrieved 13 August 2013, <http://www.alzheimers.org.uk/lowexpectations>.
 43. Alzheimer's Society, *Financial cost of dementia*, 2012, retrieved 13 August 2013, http://www.alzheimers.org.uk/site/scripts/documents_info.php?documentID=418.
 44. Diener H and Putzki N, 'Leitlinien für Diagnostik und Therapie in der Neurologie; 4. überarbeitete Auflage 2008, S. 654 ff, ISBN 978-3-13-132414-6; Georg Thieme Verlag Stuttgart.
 45. Stocchi F, Badiali D, Vacca L, et al, Anorectal function in multiple system atrophy and Parkinson's disease, *Movement Disorders* 2001, vol. 15, no. 1, pp. 71-76.
 46. Lim S and Childs C, 'A systematic review of the effectiveness of bowel management strategies for constipation in adults with stroke', *International Journal of Nursing studies*, 2012, vol. 50, no. 7, pp. 1004-1010.
 47. Yongjing S, Xiaoyan Z, Jinsheng Z et al. 'New-onset constipation at acute stage after first stroke: incidence, risk factors and impact on

- the stroke outcome', *Stroke*, 2009, vol. 40, pp. 1304-9.
48. Bracci F, Badiali D, Pezzotti P, et al, Chronic constipation on hemiplegic patients, *World J Gastroenterol* 2007, vol. 13 29 pp. 3967-3972.
 49. Larkin P, Sykes N, Centeno C, et al. 'The management of constipation in palliative care: clinical practice recommendations' *Palliat Med*, 2008, vol. 22, no. 7, pp. 796-807.
 50. Australian Government Department of Health and Ageing, *Incidence of Incontinence as a Factor in Admission to Aged Care Homes*, 2012, retrieved 13 August 2013, <http://www.bladderbowel.gov.au/assets/doc/ncms/Phase1-2InformationAndEvidenceContinenceAsAFactorInAdmissionToAgedCareHomes.pdf>.
 51. Pekmezaris R, Aversa L, Wolf-Klein G, et al. 'The cost of chronic constipation', *J Am Med Dir Assoc*, 2003, vol. 3, no. 4, pp. 224-4.
 52. Hosia-Randell H, Suominen M, Muurinen S et al. 'Use of laxatives among older nursing home residents in Helsinki, Finland', *Drugs Aging*, 2007, vol. 24, no. 2, pp. 147-54.
 53. Tabbers M, Boluyt N, Berger M, et al, 'Clinical practice: diagnosis and treatment of functional constipation', *European Journal of Pediatrics*, 2011, vol. 170, no. 8, pp. 955-63.
 54. Bove A, Bellini M, Battaglia E, et al. 'Consensus statement AIGO/SICCR diagnosis and treatment of chronic constipation and obstructed defecation (Part II: Treatment)', *World J Gastroenterol*, 2012, vol. 18, no. 36, pp. 4994-5013.
 55. Monti M, Neri M, Tracate F, et al. 'Prevalence and risk factors of constipation among the elderly in nursing homes', *G Gerontol*, 2009, vol. 57, pp. 78-86.
 56. Füsgen I, 'Konsensusstatement 'Chronische Obstipation in der stationären Altenhilfe – (K) ein Problem?', *European Journal of Geriatrics*, 2010, vol. 12, no. 4, pp. 153-244.
 57. ActiZ, Organisation of care entrepreneurs; LOC, National Organisation of clients' councils; NVVA, Professional Association for Nursing Home Doctors and Social Geriatricians; Sting, National Professional Care Association; IGZ, Health Inspectorate; VWS, Ministry of Health, Welfare and Sports; ZN, Dutch Care Insurers, *Quality Framework Responsible Care*, 2007, retrieved 13 August 2013, [http://www.crnc.ca/knowledge/related_reports/pdf/Kwaliteitskader%20Verantwoorde%20Zorg%20\(english\).pdf](http://www.crnc.ca/knowledge/related_reports/pdf/Kwaliteitskader%20Verantwoorde%20Zorg%20(english).pdf).
 58. Diemel J, Van den Hurk A, Muris J et al. 'NHG-Standaard Obstipatie', *Huisarts Wet*, 2010, vol. 53, no. 9, pp. 484-98.
 59. Ministry of Labour and Social Affairs, *Standards for Quality in Social Services*, 2002, retrieved 13 August 2013, <http://www.mpsv.cz/files/clanky/2057/standards.pdf>.
 60. Federazione Nazionale Collegi Infermieri (IPASVI), *La gestione della stitichezza*, retrieved 13 August 2013, <http://www.ipasvi.it/ecm/percorsi-guidati/la-gestione-della-stitichezza-id17.htm>.
 61. Piche T, Dapoigny M, Bouteloup, C, et al. 'Recommandations pour la pratique clinique dans la prise en charge et le traitement de la constipation chronique de l'adulte', *Gastroenterol Clin Biol*, 2007, vol. 31, pp. 125-35.
 62. NICE, *Faecal incontinence: The management of faecal incontinence in adults*, 2007, retrieved 13 August 2013: <http://www.nice.org.uk/CG49>
 63. World Gastroenterology Organisation, *Practice Guidelines: Constipation*, 2007, retrieved 13 August 2013, http://www.worldgastroenterology.org/assets/downloads/en/pdf/guidelines/05_constipation.pdf.
 64. Social Care Institute for Excellence, Nutritional care and hydration, in *Adults' Service SCIE Guide 15 - Dignity in Care*, 2009, retrieved 13 August 2013, <http://www.scie.org.uk/publications/guides/guide15/files/guide15-nutrition.pdf>.
 65. Nies H, Leichsenring K, van deer Veen R, et al. *Quality Management and Quality Assurance in Long-Term Care: European Overview Paper*, 2010, retrieved 13 August 2013, http://www.euro.centre.org/data/1278594919_52528.pdf.
 66. Bigorio 2007, *Empfehlungen zu Obstipation, Darmverschluss und Paralytischem Ileus, Konsens zur best practice für Palliative Care in der Schweiz*, 2007, retrieved 13 August 2013, http://www.palliative.ch/fileadmin/user_upload/palliative/fachwelt/E_Standards/E_12_2_bigorio_2007_Obstipation_de.pdf.
 67. Integraal Kankercentrum Nederland (IKNL), *Obstipatie Landelijke richtlijn, Versie: 2.0*, 2009.

68. WeDO (for the Wellbeing and Dignity of Older people), *European Quality framework for long-term care services*, 2012, retrieved 13 August 2013, <http://www.wedo-partnership.eu/european-quality-framework-long-term-care-services>.
69. World Health Organisation, *Keep fit for life: meeting the nutritional needs of older people*, 2002, retrieved 13 August 2013, http://www.who.int/nutrition/publications/en/nut_older_persons_1.pdf.
70. IMPACT, *A guide to the management of constipation and faecal impaction in the older person*, 2010, retrieved 13 August 2013, <https://prod-nrgsy-movicolcms.s3.amazonaws.com/54c7252d-c526-4f81-921a-0ebadaa005d6>.
71. Registered Nurses' Association of Ontario, *Prevention of Constipation in the Older Adult Population*, 2005, retrieved 13 August 2013, http://rnao.ca/sites/rnao-ca/files/Prevention_of_Constipation_in_the_Older_Adult_Population.pdf.
72. Tack J, Müller-Lissner S, Stanghellini V et al. 'Diagnosis and treatment of chronic constipation – a European perspective', *Neurogastroenterol Motil*, 2011, vol. 23, pp. 697-710.
73. Joanna Briggs Institute. 'Management of constipation in older adults', *Best Practice*, 2008, vol 12, no. 7, pp. 1-4.
74. Zizza C, Ellison K, Wernette C. 'Total Water Intakes of Community-Living Middle-Old and Oldest-Old Adults', *J Gerontol A Biol Sci Med Sci*, 2009, vol. 64, no. 4, pp. 481-6.
75. Chassagne P, Jego A, Gloc P, et al. 'Does treatment of constipation improve faecal incontinence in institutionalized elderly patients?', *Age and Ageing*, 2000, vol. 29, pp.159-64.
76. EUROSTAT European Commission, *Population structure and ageing*, 2012, retrieved 13 August 2013, http://epp.eurostat.ec.europa.eu/statistics_explained/index.php/Population_structure_and_ageing#Future_trends_in_population_ageing.
77. World Health Organization, 'Good health adds life to years' Global brief for World Health Day 2012.
78. NICE, *Individual research recommendation details: Recommendation ID: CG49/4*, 2012, retrieved 13 August 2013, <http://www.nice.org.uk/research/index.jsp?action=research&o=771>.
79. Sheffield Teaching Hospitals and Sheffield City Council. *Minor Illnesses and Conditions: Information Pack for Care Homes in Sheffield*, 2012, retrieved 13 August 2013, http://www.sth.nhs.uk/clientfiles/File/6602_MinorIllnessInformation.pdf.

